

## EAST Search History

## EAST Search History (Prior Art)

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|---|---|------------------|---------|---------------------|
| L1    | 116  | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal \$2 hexa adj decimal \$2) with (periodic\$5 pattern\$5)                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2010/01/05<br>13:20 |
| L2    | 2    | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal \$2 hexa adj decimal \$2) with (periodic\$5 pattern\$5) same compress\$5 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2010/01/05<br>13:21 |
| L3    | 0    | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal \$2 hexa adj decimal \$2) same (periodic\$5) same compress\$5            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2010/01/05<br>13:22 |
| L4    | 2    | @ad < "20020412" and ("370" "709"). clas. and (base adj ("8" "16") hexadecimal \$2 hexa adj decimal \$2) same (periodic\$5) and compress\$5             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2010/01/05<br>13:22 |
| L5    | 58   | @ad < "20020412" and (base adj ("8" "16") hexadecimal\$2 hexa adj decimal\$2) same (pattern\$5 periodic\$5) same compress\$5                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2010/01/05<br>13:22 |
| L6    | 3    | @ad < "20020412" and (base adj ("8" "16") hexadecimal\$2 hexa adj decimal\$2) same (recur\$5 near2 pattern\$5 periodic\$5) same compress\$5             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2010/01/05<br>13:23 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| L7  | 37 | @ad < "20020412"<br>and (base adj ("8"<br>"16") hexadecimal\$2<br>hexa adj decimal\$2)<br>same (recur\$5 near2<br>pattern\$5 periodic\$5)<br>and compress\$5 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>13:24 |
| L8  | 7  | @ad < "20020412"<br>and (base adj ("8"<br>"16") hexadecimal\$2<br>hexa adj decimal\$2)<br>with (recur\$5 near2<br>pattern\$5 periodic\$5)<br>and compress\$5 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>13:25 |
| L9  | 0  | @ad < "20020412"<br>and ("709" "370").<br>clas. and (recur\$5<br>near2 pattern\$5 ) with<br>compress\$5  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>13:33 |
| L10 | 1  | @ad < "20020412"<br>and ("709" "370").<br>clas. and ((period\$5<br>recur\$5) near2 pattern<br>\$5 ) same compress\$5   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>13:33 |
| L11 | 15 | @ad < "20020412"<br>and ("709" "370").<br>clas. and ((period\$5<br>recur\$5) near2<br>(pattern\$5 sequen<br>\$7) ) same compress<br>\$5                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>13:34 |
| L12 | 2  | snowboard with alarm<br>\$5  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>13:53 |
| S1  | 77 | @ad < "20020412"<br>and ("370" "709").<br>clas. and SNMP\$2<br>same hierarchy\$5   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>14:41 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S2  | 55  | @ad < "20020412"<br>and ("370" "709").<br>clas. and SNMP\$2<br>same hierarchy\$5 and<br>(single\$2 one\$2)<br>near2 (network\$5<br>subnetwork\$5) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>14:42 |
| S4  | 66  | @ad < "20020412"<br>and ("370" "709").<br>clas. and (SNMP\$2 MIB<br>\$2) same hierarchy\$5<br>same network  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>15:25 |
| S5  | 25  | @ad < "20020412"<br>and ("370" "709").<br>clas. and (SNMP\$2 MIB<br>\$2) same hierarchy\$5<br>same network not S2                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>15:25 |
| S11 | 4   | @ad < "20020412"<br>and (SNMP\$2 UDP\$2)<br>and compress\$5 with<br>period\$5 with<br>acknowledg\$7   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>16:05 |
| S12 | 4   | S11 and (period\$5<br>acknowledg\$7)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>16:28 |
| S15 | 0   | @ad < "20020412"<br>and compress\$5 with<br>period\$5 with sequen<br>\$7 with acknowledg\$7   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:02 |
| S16 | 630 | @ad < "20020412"<br>and compress\$5 with<br>period\$5 with sequen<br>\$7  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:02 |
| S17 | 0   | @ad < "20020412"<br>and compress\$5 with<br>period\$5 with sequen<br>\$7 same (ack<br>acknowledg\$7)  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:03 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S18 | 1   | @ad < "20020412"<br>and decompress\$5<br>with period\$5 with<br>sequen\$7 same (ack<br>acknowledg\$7) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:05 |
| S19 | 0   | @ad < "20020412"<br>and compress\$5 with<br>periodic\$5 with<br>checksum\$2                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:06 |
| S20 | 17  | @ad < "20020412"<br>and compress\$5 same<br>periodic\$5 same<br>checksum\$2                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:06 |
| S21 | 3   | @ad < "20020412"<br>and compress\$5 with<br>period\$5 with sequen<br>\$7 same checksum\$2             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:09 |
| S23 | 0   | @ad < "20020412"<br>and RTP same periodic<br>\$2 with sequence adj<br>number\$@2                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:14 |
| S24 | 0   | @ad < "20020412"<br>and RTP same periodic<br>\$2 with sequence adj<br>number\$2                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:14 |
| S25 | 1   | @ad < "20020412"<br>and RTP and periodic<br>\$2 with sequence adj<br>number\$2                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:14 |
| S26 | 175 | @ad < "20020412"<br>and compress\$5 with<br>periodic\$5 with sequen<br>\$7                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:16 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S27 | 1   | @ad < "20020412"<br>and compress\$5 with<br>periodic\$5 with sequen<br>\$7 and RTP        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:16 |
| S28 | 2   | @ad < "20020412"<br>and compress\$5 with<br>periodic\$5 with sequen<br>\$7 with packet\$2 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:17 |
| S29 | 1   | @ad < "20020412"<br>and compress\$5 same<br>periodic with sequen<br>\$7 with packet\$2    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:17 |
| S30 | 140 | @ad < "20020412"<br>and compress\$5 same<br>periodic with sequen<br>\$7                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:17 |
| S31 | 2   | @ad < "20020412"<br>and RTP and compress<br>\$5 same periodic with<br>sequen\$7           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:18 |
| S32 | 63  | @ad < "20020412"<br>and RTP and periodic<br>with sequen\$7                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:18 |
| S33 | 1   | @ad < "20020412"<br>and RTP and periodic<br>with sequen\$7 adj<br>number\$2               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:19 |
| S34 | 0   | @ad < "20020412"<br>and RTP and periodic<br>with SN                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:19 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S35 | 0   | @ad < "20020412"<br>and RTP and periodic<br>with packet\$5 adj type<br>\$2                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:20 |
| S36 | 75  | @ad < "20020412"<br>and periodic with<br>sequence adj number<br>\$2                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:20 |
| S37 | 1   | @ad < "20020412"<br>and (decompress\$7<br>compress\$7) same<br>periodic with sequence<br>adj number\$2 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:20 |
| S38 | 75  | @ad < "20020412"<br>and periodic with<br>sequence adj number<br>\$2                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:21 |
| S39 | 34  | @ad < "20020412"<br>and ("370" "709").<br>clas. and periodic with<br>sequence adj number<br>\$2        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:21 |
| S41 | 124 | @ad < "20020412"<br>and compress\$5 with<br>period\$5 near2 sequen<br>\$7                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:23 |
| S42 | 2   | @ad < "20020412"<br>and ("370" "709").<br>clas. and compress\$5<br>with periodic\$7 near2<br>sequen\$7 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:24 |
| S43 | 2   | @ad < "20020412"<br>and ("370" "709").<br>clas. and compress\$5<br>same periodic\$7 near2<br>sequen\$7 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:25 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| S44 | 0  | @ad < "20020412"<br>and ("370" "709").<br>clas. and RTP\$2 same<br>periodic\$7 near2<br>sequen\$7                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:25 |
| S45 | 5  | @ad < "20020412"<br>and ("370" "709").<br>clas. and periodic\$7<br>near2 sequen\$7 with<br>(acknowledg\$7 ack\$4) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:25 |
| S46 | 25 | @ad < "20020412"<br>and packet\$5 adj type<br>\$2 with periodic\$5  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:28 |
| S47 | 0  | @ad < "20020412"<br>and compress\$5 with<br>periodic\$5 with<br>sequence\$2 adj<br>number\$2                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:34 |
| S48 | 8  | @ad < "20020412"<br>and compress\$5 same<br>periodic\$5 with<br>sequence\$2 adj<br>number\$2                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:34 |
| S49 | 20 | @ad < "20020412"<br>and periodic\$5 with<br>sequence\$2 with bit\$2<br>with packet\$5                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:36 |
| S50 | 1  | @ad < "20020412"<br>and compress\$5 same<br>periodic\$5 with<br>sequence\$2 with bit\$2<br>with packet\$5         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:36 |
| S51 | 20 | @ad < "20020412"<br>and periodic\$5 with<br>sequence\$2 with bit\$2<br>with packet\$5                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:36 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S52 | 171 | @ad < "20020412"<br>and periodic near5<br>sequence\$2 near5 bit<br>\$2  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:37 |
| S53 | 11  | @ad < "20020412"<br>and periodic near5<br>sequence\$2 near5 bit<br>\$2 and compress\$7                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:37 |
| S54 | 35  | @ad < "20020412"<br>and periodic near5<br>sequence\$2 with<br>compress\$7   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:43 |
| S55 | 57  | @ad < "20020412"<br>and periodic near5<br>(pattern\$5 sequence<br>\$2) with compress\$7                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:43 |
| S56 | 0   | @ad < "20020412"<br>and periodic near5<br>(pattern\$5 sequence<br>\$2) same compress\$7<br>same (acknowledg\$7<br>ack\$3) | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:44 |
| S57 | 13  | @ad < "20020412"<br>and periodic near5<br>(pattern\$5 sequence<br>\$2) same (acknowledg<br>\$7 ack\$3)                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:44 |
| S58 | 3   | @ad < "20020412"<br>and periodic same<br>sequence adj number<br>\$2 same compress\$7                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:52 |
| S59 | 33  | @ad < "20020412"<br>and periodic with<br>checksum\$2  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>18:57 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S60 | 1  | "6882637".pn. and checksum\$5  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>19:01 |
| S61 | 2  | "6882637".pn.  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/12/28<br>19:05 |
| S62 | 15 | @ad < "20020412" and "370".clas. and (compress\$5 decompress\$5) same (periodic\$5 repeat\$5 repete\$7) near2 pattern\$5 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>10:15 |
| S64 | 33 | @ad < "20020412" and "370".clas. and RTP same (compress \$5) with sequen\$7 adj number\$2                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>11:09 |
| S65 | 5  | @ad < "20020412" and "370".clas. and RTP same (compress \$5) near5 sequen\$7 adj number\$2                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>11:09 |
| S67 | 14 | @ad < "20020412" and "370".clas. and RTP and (compress\$5) near5 sequen\$7 adj number\$2                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>11:15 |
| S68 | 25 | @ad < "20020412" and "370".clas. and RTP and (compress\$5) adj10 sequen\$7 adj number\$2                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>11:18 |
| S69 | 37 | @ad < "20020412" and "370".clas. and RTP and sequen\$7 adj number\$2 adj10 (compress\$5)                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>11:18 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| S70 | 13 | @ad < "20020412"<br>and RTP and sequen<br>\$7 adj number\$2<br>adj10 (compress\$5)<br>not S69 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>11:27 |
| S71 | 2  | "20020083205".pn.<br>and sequenc\$5 adj<br>number\$2  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2010/01/05<br>11:40 |

1/ 5/ 2010 2:26:54 PM

C:\ Documents and Settings\ aoh\ My Documents\ EAST\ Workspaces\ 10511188\ 2009-12  
RCE\ 10511188.wsp